
References

- Ahern, L.D. 1999, 'Lindsay Island Salinity Interception Proposal: Statement of Environmental Resource', NatureScope Pty Ltd for the Department of Natural Resources and Environment, Yarra Glen, Victoria.
- Akeroyd, M.D., Tyerman, S.D., Walker, G.R. & Jolly, I.D. 1998, 'Impact of flooding on the water use of semi-arid riparian eucalypts', *Journal of Hydrology*, vol. 206, pp. 104–17.
- Alexandrina Council 2001, 'Hindmarsh Island Management Plan', Goolwa.
- ANCA 1996, *A Directory of Important Wetlands in Australia*, 2nd edn, Australian Nature Conservation Agency, Canberra.
- ANCA 1997, 'China and Australia Migratory Bird Agreement' [online], available at <<http://www.anca.gov.au/environm/wetlands/camba.htm>>.
- Andrén, H. 1994, 'Effects of habitat fragmentation on birds and mammals in landscapes with different proportions of suitable habitat: a review', *Oikos*, vol. 71, pp. 355–66.
- ANZECC 1992, 'The Australian Water Quality Guidelines for Fresh and Marine Waters', *National Water Quality Management Strategy*, Australian and New Zealand Environment and Conservation Council.
- ARCWIS 2002, 'The Living Murray Environmental Flows Project: A review of selected community engagement meetings in South Australia, Victoria, and New South Wales, August–September 2002', prepared for the Murray-Darling Basin Commission.
- ASFB 2001, 'Conservation status of Australian fishes—2001', Australian Society for Fish Biology, *Australian Society for Fish Biology Newsletter*, vol. 31(2), pp. 37–41.
- Atkins, B.P. & Lloyd, L.N. 1993, 'An interim water management strategy for Gunbower Forest', *Floodplain Ecology Report Series*, Report No. 13, Department of Conservation and Natural Resources, Victoria.
- Atkins, B.P., Lloyd, L. & Nikolaou, N. 1991, 'The hydrological characteristics of Gunbower Forest', draft report of the Integrated Watering Strategy, Department of Conservation and Natural Resources, Victoria.
- Australian Heritage Commission 2003, 'Register of the National Estate Database: Barmah and Millewa Forests', Cobb Hwy, Mathoura NSW, available at <<http://www.ahc.gov.au/register/index.html>> [accessed 15 September 2003].
- Australian Water Environments 2003, 'Lower Lakes and Coorong Environmental Flow Demonstration', Norwood, South Australia.
- Australian Water Environments et al. 2003, 'REG H Report. Regional Evaluation Group Assessment of reference point flow scenarios for zone H of the River Murray

- System (Lower Lakes, Murray Mouth and Coorong)', Attachment 8 in SRP, Ecological assessment of environmental flow reference points for the River Murray System, interim report, Scientific Reference Panel for the Living Murray Initiative, Regional Evaluation Group H, Murray-Darling Basin Commission, Canberra, ACT, August, available at: <<http://www.thelivingmurray.mdbc.gov.au/content/index.phtml?itemId=16136>> [accessed 28 June 2004].
- Australian Water Technologies 1999, 'Water Quality Monitoring Program Review—Part 1 (Data Summary and recommendations)', Report Number 98/169, prepared for the Murray-Darling Basin Commission, Canberra.
- Bacon, P.E., Stone, C., Binns, D.L., Leslie, D.J. & Edwards, D.W. 1993, 'Relationships between water availability and *Eucalyptus camaldulensis* growth in a riparian forest', *Journal of Hydrology*, vol. 150, pp. 541–61.
- Baker, P. 2000, 'Phytoplankton in the Lower lakes of the River Murray', in Jensen, A., Good, M., Harvey, P., Tucker, P. & Long, M., *River Murray Barrages Environmental Flows*, Report to Murray-Darling Basin Commission, Canberra, ACT, Wetlands Management Program, Department of Environment and Natural Resources, Adelaide, South Australia, pp. 51–6.
- Baker, R.G.V. & Haworth, R.J. 2000a, 'Smooth or oscillating late Holocene sea-level curve? Evidence from cross-regional statistical regressions of fixed biological indicators.' *Marine Geology*, vol. 163, pp. 353–65.
- Baker, R.G.V. & Haworth, R.J. 2000b, 'Smooth or oscillating late Holocene sea-level curve? Evidence from cross-regional statistical regressions of fixed biological indicators.' *Marine Geology*, vol. 163, pp. 367–86.
- Bardwell, S. 1980, 'Interim Report on the History of Hattah–Kulkyne National Park, Murray Kulkyne Park', National Parks Service.
- Barmah–Millewa Forum 2000, 'Barmah–Millewa Forest Water Management Strategy', Murray-Darling Basin Commission, Canberra.
- Barmah–Millewa Forum 2001, 'Report on Barmah–Millewa Forest Flood of Spring 2000 and the Second Use of Barmah–Millewa Forest Environmental Water allocation', Murray-Darling Basin Commission, Canberra.
- Barr, N. F. 1988, 'The Tragowel Plains: A Study of An Agricultural Community.'
- Barr, N. F. 2001a, 'Loddon River Murray 2000 Plus Program Evaluation Final Report: Volume III Structural Adjustment'.
- Barr, N. F. 2001b, 'Structural Change in Australian Agriculture: Implications for Natural Resource Management', National Land and Water Resources Audit, Canberra.
- Barr, N. F. 2002, 'Structural Adjustment in the Loddon River Murray Region 1993–2000'.
- Bell, D 1998, *Ngarrindjeri Wurruwarrin: A world that is, was, and will be*, Spinifex, North Melbourne.

- Bennett, J. 2003, 'The Living Murray Project: Benefit Transfer Study'.
- Bennison, G.L., Hillman, T.J. & Suter, P.J. 1989, 'Macroinvertebrates of the River Murray (Survey and Monitoring: 1980-1985)', *Water Quality Report*, no. 3, Murray-Darling Basin Commission, Canberra, ACT.
- Berghuis, A. P. 1997, 'Application of high-level fishlocks in the Fitzroy River catchment', in Berghuis, A.P., Long, P.E. & Stuart, I.G. (eds), *Proceedings of Second National Fishway Technical Workshop*, Department of Primary Industries, Rockhampton, Queensland, pp. 57–70.
- Bird, P. & Armstrong, G. 1990, 'Reptiles and amphibians', in O'Malley, C. & Sheldon, F. (eds), *Chowilla Floodplain Biological Study*, Hyde Park Press for Nature Conservation Society of South Australia, Adelaide, pp. 101–17.
- Bjornlund, H. 2002, 'The Adoption, Perception and Impact of the New Water Policy Paradigm within two Australian States', paper delivered at *Conference on Irrigation water policies: Micro and Macro Considerations*, Agadir, Morocco.
- Bjornlund, H. & McKay, J. 1999, 'Do Permanent Water Markets Facilitate Farm Adjustment and Structural Change within Irrigation Communities', *Rural Society*, vol. 9(3), pp. 555–71.
- Blanch, S.J. 1999, 'Environmental flows: present and future', paper delivered at the *Australian National Committee on Large Dams Conference*, 15–6 November 1999, Jindabyne, N.S.W, Inland Rivers Network, available at <http://www.nccnsw.org.au/member/wetlands/news/media/19991118_EFpaper.html> [accessed 28 February 2003].
- Blanch, S.J., Burns, A., Vilizzi, L. & Walker, K.F. 1996, 'Ecological effects of shallow winter-spring flooding in the lower River Murray, 1995', report to the Natural Resources Management Strategy of the Murray-Darling Basin Commission, in collaboration with South Australian Department of Environment and Natural Resources, South Australian Water, River Murray Laboratory, Departments of Zoology and Botany, University of Adelaide, Adelaide.
- Blanch, S.J., Walker, K.F. & Ganf, G.G. 2000, 'Water regimes and littoral plants in four weir pools of the River Murray, Australia', *Regulated Rivers: Research and Management*, vol. 16, pp. 445–56.
- Boevich, E. 1993. Draft background paper and interim water management strategy, Lindsay Island. Department of Conservation and Natural Resources, Victoria.
- Boevich, E. 1994. Draft background paper and interim water management strategy, Wallpolla Island. Department of Conservation and Natural Resources, Victoria.
- Bonhomme, T. 1990, 'An archaeological survey of the Barmah Forest', report for the Department of Conservation and Environment, East Melbourne, Victoria.
- Boulton, A.J. & Brock, M.A. 1999, *Australian Freshwater Ecology: Processes and Management*, Gleneagles Publishing, Adelaide, pp. 300.

- Boulton, A.J. & Lloyd, L.N. 1991, 'Macroinvertebrate assemblages in floodplain habitats of the lower River Murray, South Australia', *Regulated Rivers: Research and Management*, vol. 6, pp. 183–201.
- Boulton, A.J. & Lloyd, L.N. 1992, 'Flooding frequency and invertebrate emergence from dry floodplain sediments of the River Murray, Australia', *Regulated Rivers: Research and Management*, vol. 7, pp. 137–51.
- Boulton, A.J., Sheldon, F., Thoms, M.C. & Stanley, E.H. 1999, 'Problems and constraints in managing rivers with variable flow regimes', in P.J. Boon, B. R. Davies and G. E. Petts (eds), *Global perspectives on river conservation: science, policy and practice*, John Wiley, Chichester.
- Bourman, B. & Harvey, N. 1983, 'The Murray mouth flood tidal delta', *Australian geographer*, vol. 15, pp. 403–6.
- Bourman, R.P., 'Geomorphology of the Lower Murray Lakes and Coorong', in Jensen, A., Good, M., Harvey, P., Tucker, P. & Long, M., *River Murray Barrages Environmental Flows*, report to Murray-Darling Basin Commission, Canberra, ACT, Wetlands Management Program, Department of Environment and Natural Resources, Adelaide, South Australia, pp. 23–9.
- Bourman, R.P., & Barnett, E.J. 1995, 'Impacts of river regulation on the terminal lakes and mouth of the River Murray, South Australia', *Australian geographical studies*, vol. 33(1), pp. 101–15.
- Brandle, R. & Bird, P. 1990, 'Mammals', in O'Malley, C. & Sheldon, F. (eds), 1990, *Chowilla Floodplain Biological Study*, Hyde Park Press for Nature Conservation Society of South Australia, Adelaide, pp. 77–99.
- Bren, L.J. 1987, 'The duration of inundation of flooding in a river red gum forest', *Australian Forest Research*, vol. 17, pp. 191–202.
- Bren, L.J. 1988a, 'Effects of river regulation on flooding of a riparian red gum forest on the River Murray, Australia', *Regulated Rivers: Research and Management*, vol. 2, pp. 65–77.
- Bren, L.J. 1988b, 'Flooding characteristics of a riparian red gum forest', *Australian Forestry*, vol. 51, pp. 57–62.
- Bren, L.J. 1990, 'Red gum forests', in N. Mackay & D. Eastburn (eds), *The Murray*, Murray-Darling Basin Commission, Canberra, ACT, ch. 4, pp. 231–42.
- Bren, L.J. 1992, 'Tree invasion of an intermittent wetland in relation to changes in the flooding frequency of the River Murray, Australia', *Australian Journal of Ecology*, vol. 17, pp. 395–408.
- Bren, L.J. & Gibbs, N.L. 1986, 'Relationships between flood frequency, vegetation and topography in a river red gum forest', *Australian Forestry Research*, vol. 16, pp. 357–70.

- Bren, L.J., Gibbs, N.L. & O'Neill, I.C. 1987, 'Flooding in the Barmah Forest and its relation to flow in the Murray-Edward River system', *Australian Forestry Research*, vol. 17, pp. 127–44.
- Bren, L.J., O'Neill, I.C. & Gibbs, N.L. 1988, *The Hydrology of the Barmah River redgum Forests: a Collection of Work Undertaken from 1984 to 1988*, The University of Melbourne, Forestry Section, Creswick, Victoria.
- Briggs, I. C. & McDowall, R.M. 1995, 'Family Clupeidae: herrings', in McDowall, R.M., *Freshwater fishes of south-eastern Australia*, Reed Books, Chatswood, NSW.
- Briggs, S.V. & Lawler, W.G. 1989, 'Management of Murray-Darling wetlands for waterbirds', paper delivered at *Third Fenner Conference on the Environment, Conservation in Management of the River Murray System—Making Conservation Count*, Septmeber, Canberra. South Australian Department of Environment and Planning, Adelaide for Australian Academy of Science.
- Briggs, S.V. & Maher, M.T. 1983, 'Litter fall and leaf decomposition in a River Red Gum swamp', *Australian Journal of Botany*, vol. 31, pp. 307–16.
- Briggs, S.V. & Maher, M.T. 1985, 'Limnological studies of waterfowl habitat in south-western New South Wales: Aquatic macrophyte productivity', *Australian Journal of Marine and Freshwater Research*, vol. 36, pp. 707–13.
- Briggs, S.V. & Thornton, S.A. 1999, 'Management of water regimes in River Red Gum *Eucalyptus camaldulensis* wetlands for waterbird breeding', *Australian Zoologist*, vol. 31(1), pp. 187–97.
- Briggs, S.V., Thornton, S.A. & Lawler, W.G. 1994, 'Management of red gum wetlands for waterbirds', *Final Report on Project N108 of the Natural Resources Management Strategy*, Murray-Darling Basin Commission, Canberra.
- Brookes, J. 2002, *The Murray Mouth: exploring the implications of closure or restricted flow water quality*, Murray-Darling Basin Commission & Department of Water, Land and Biodiversity Conservation, available at <http://www.dwlbc.sa.gov.au/water/publications/pdfs/reports/murray_mouth_exploring_implications.pdf> [accessed 28 Sep 2003], pp. 33–45.
- Buchan, A., Joseph, S. & Nandakumar, N. 2001, 'Murray Catchment Management Board Salinity Targets', Catchment Plan Support Document, November, Department of Land and Water Conservation, NSW.
- Cadwallader, P. L. 1977, *J.O. Langtry's Murray River Investigations*, Victorian Fisheries and Wildlife Department, Melbourne.
- Carpenter, G. 1990, 'Avifauna', in O'Malley, C. & Sheldon, F. (eds), *Chowilla Floodplain Biological Study*, Hyde Park Press for Nature Conservation Society of South Australia, Adelaide, pp. 55–78.

- Carpenter, G. 1995, 'Birds of the Lower Murray region of South Australia', *Proceedings of the Murray Mouth Biological Resource Assessment Workshop*, South Australian Research and Development Institute.
- Chesterfield, E.A. 1986, 'Changes in the vegetation of the river red gum forest at Barmah, Victoria', *Australian Forestry*, vol. 49, pp 4–15.
- Chesterfield, E.A., Loyn, R.H. & MacFarlane, M.A. 1984, 'Flora and fauna of Barmah State Forest and their management', *Research Branch Report No. 240*, Forests Commission Victoria, Melbourne, p. 73.
- Chong, J. & Ladson, A. 2003, 'Analysis and management of unseasonal flooding in the Barmah-Millewa Forest, Australia', *River Research and Applications*, vol. 19, pp. 161–80.
- Chowilla Working Group 1991, 'Chowilla Resource Management Plan', Community Consultation Program, prepared in consultation with the Chowilla Reference Group, Murray-Darling Basin Commission, Canberra, ACT.
- Chowilla Working Group & Chowilla Reference Group 1992, 'Chowilla Resource Management Plan: Progress Report', Murray-Darling Basin Commission, Canberra, ACT.
- Clark, V. 2002, 'Cultural heritage of the River Murray, Yarrowonga to Echuca: a desktop review', in EarthTech et al. 2002, *River Murray – Yarrowonga –Echuca Action Plan, Specialist Review Attachments*, report to Goulburn Broken Catchment Management Authority, Department of Land and Water Conservation & Murray-Darling Basin Commission, April.
- Clarke, D. & Bogusiak, A. 2000, 'Lindsay & Wallpolla Islands Environmental Flow Project, Business Plan', Effect Pty Ltd, Mallee Catchment Management Authority, June.
- Close, A.F. 1990, 'The impact of man on the natural flow regime', in Mackay, N. & Eastburn, D. (eds), *The Murray*, Murray-Darling Basin Commission, Canberra, ACT, pp. 61–74.
- Close, A.F. 2002, 'Options for reducing the risk of closure of the River Murray mouth', *MDBC Technical Report 2002/2, Options, Version 3*, Murray-Darling Basin Commission, Canberra, ACT, 24 April.
- Clunie, P. & Koehn, J. 2001, 'Freshwater Catfish: Volume 2, A resource document', final report for Natural Resource Management Strategy Project R7002 to the Murray Darling Basin Commission, Freshwater Ecology, Arthur Rylah Institute for Environmental Research, Department of Natural Resources and Environment, Heidelberg.
- CRCFE 2003, 'Expert Reference Panel (ERP) Response to Independent Peer Reviews of the ERP Report (Jones et al. 2002)', Cooperative Research Centre for Freshwater Ecology, Canberra, ACT, April.

- COAG 2004, Communiqué, Council of Australian Governments Meeting, 25th June 2004.
- Cottingham, P., Crook, D., Hillman, T., Roberts, J., Rutherford, I. & Stewardson, M. 2003, 'Flow-related environmental issues associated with the Goulburn River below Lake Eildon', a report to the Department of Sustainability and Environment, Victoria and the Murray-Darling Basin Commission; Scientific Panel, Cooperative Research Centre for Freshwater Ecology and the Cooperative Research Centre for Catchment Hydrology, Canberra, ACT.
- Cooling, M., Lloyd, L., Rudd, D. & Hogan, R. 2002, 'Environmental water requirements and management options in Gunbower Forest, Victoria', *Australian Journal of Water Resources*, vol. 5(1), pp. 75–88.
- CPBR & ANH 2004, 'Eucalyptus camaldulensis, Plants, Terrestrial Biodiversity, Water for a Healthy Country', Centre for Plant Biodiversity Research and Australian National Herbarium, an Australian Government Initiative, available at <<http://www.anbg.gov.au/cpbr/WfHC/Eucalyptus-camaldulensis/index.html>> [accessed 14 July 2004].
- Crabb, P., 'Murray-Darling Basin Resources', Murray-Darling Basin Commission, Canberra, ACT, p. 300.
- Craig, A.E., Walker, K.F. & Boulton, A.J. 1991, 'Effects of edaphic factors and flood frequency on the abundance of lignum on the River Murray floodplain, Australia', *Australian Journal of Botany*, vol. 39, pp. 431–43.
- Crome, F.J.H. 1986, 'Australian waterfowl do not necessarily breed on a rising water level', *Australian Wildlife Research*, vol. 13, pp. 461–80.
- Crook, D.A., Robertson, A.I., King, A.J. & Humphries, P. 2001, 'The influence of spatial scale and habitat arrangement on diet patterns of habitat used by two lowland fish', *Oecologia*, vol. 129, pp. 525–33.
- Cumming, P.L.F. & Lloyd, L.N. 1993, 'Flood Characteristics of the Hattah Lakes System', *Integrated Watering Strategy Report No. 5*, Department of Conservation and Environment, Victoria.
- Currey, D.T. & Dole, D.J. 1978, 'River Murray flood flow patterns and geomorphic tracts', *Proceedings of the Royal Society of Victoria*, vol. 90, pp. 67–77.
- Dawes, W.R., Slavich, P.G., Hatton, T.J. & Walker, G.R. 1998, 'Modelling water and salt movement in the Chowiulla Flooplain', in Zhang, L. & Dawes, W.R. (eds), *WAVES: An Integrated Energy and Water Balance Model, CSIRO Land and Water Technical Report 31/98*, Canberra, ACT.
- DCFL 1986, 'Defoliation of River Red Gums by Gum Leaf Skeletonizer', No. 1, March, Department of Conservation, Forests and Lands, p. 4.

- DCFL 1990, 'Proposed Barmah Management Plan (Barmah State Park & Barmah State Forest)', Department of Conservation, Forests and Lands Victoria, Benalla Region, National Parks and Wildlife Division, Lands and Forests Division, February, pp. 172.
- DCNR 1993, 'Mallee Tourism and Recreation Strategy', Department of Conservation and Natural Resources, Victoria.
- DEH 1992, 'Koondrook and Perricoota Forests - NSW046', *A Directory of Important Wetlands in Australia*, Department of the Environment and Heritage, Australian Government, Canberra, available at <<http://www.deh.gov.au/cgi-bin/wetlands/report.pl>> [accessed 29th June 2004].
- DEH 1995, 'Gunbower Island - VIC040', *A Directory of Important Wetlands in Australia*, Department of the Environment and Heritage, Australian Government, Canberra, available at <<http://www.deh.gov.au/water/wetlands/database/index.html>> [accessed 29th June 2004].
- DEH 1999, 'Gunbower Forest, Victoria – 15', *Information Sheet on Ramsar Wetlands (RIS)*, Department of the Environment and Heritage, Australian Government, Canberra, available at <<http://www.deh.gov.au/water/wetlands/database/index.html>> [accessed 29 June 2004].
- DEH 2000, 'Coorong, and Lakes Alexandrina and Albert Ramsar management Plan', Department for Environment and Heritage, Government of South Australia, September.
- DEH 2003, 'Riverland Ramsar Wetland Draft Plan', Department for Environment and Heritage, Government of South Australia, Berri.
- DEH 2004b, 'Bookmark Biosphere Reserve', *Australia's Biosphere Reserves*, Department of the Environment and Heritage, Australian Government, Canberra, available at <<http://www.deh.gov.au/parks/biosphere/reserves/book.html>> [accessed 14th July 2004].
- DEH 2004a, 'Hattah-Kulkyne National Park', *Australia's Biosphere Reserves*, Department of the Environment and Heritage, Australian Government, Canberra, available at <<http://www.deh.gov.au/parks/biosphere/reserves/hatt.html>> [accessed 14th July 2004].
- Denton, M. & Ganf, G.G. 1994, 'Response of juvenile *Melaleuca halmaturorum* to flooding: management implications for a seasonal wetland, Bool Lagoon, South Australia', *Australian Journal of Marine and Freshwater Research*, vol. 45, pp. 1395–408.
- Dexter, B.D. 1978, 'Silviculture of the River redgum forests of the central Murray floodplain', *Proceedings of the Royal Society of Victoria*, vol. 90, pp. 175–94.
- Dexter, B.D., Rose, H.J. & Davies, N. 1986, 'River regulation and associated forest management problems in the River Murray red gum forests', *Australian Forestry*, vol. 49, pp. 16–27.

- DFAT 1995, 'Australian Treaty Series 1981 No. 6, Agreement between the Government of Australia and the Government of Japan for the Protection of Migratory Birds in Danger of Extinction and their Environment', Tokyo, 6 February 1974, Australian Government Publishing Service, Commonwealth of Australia, Canberra, ACT, available at <<http://www.austlii.edu.au/au/other/dfat/treaties/1981/6.html>> [accessed 14th July 2004].
- DIPNR 1999, 'Rural Production and Water Sharing, Farm Dams Assessment Guide', *Document HO/13/99*, DIPNR, Sydney, p. 12.
- DLWC 2000, 'Caring for our natural resources, Wetlands, Murray Region', Department of Land and Water Conservation, NSW, available at <http://www.dlwc.nsw.gov.au/care/wetlands/activities/murray> [accessed 28 February 2003].
- DLWC 2003, 'Integrated Catchment Management Plan for the Murray Catchment 2002', *Murray Catchment Blueprint*, Department of Land and Water Conservation, NSW, available at <http://www.dlwc.nsw.gov.au/care/cmb/blueprints/pdf/murray_blueprint_19_23.pdf> [accessed 7 September 2003].
- DNRE 1996, 'Mallee Parks Management Plan', National Parks Service, Department of Natural Resources and Environment, East Melbourne, Victoria.
- DNRE 1997, 'Victoria's Biodiversity – Directions in Management', Department of Natural Resources and Environment, Government of Victoria, East Melbourne.
- DNRE 2001, 'Proposed Forest Management Plan for the Mid River Murray Forest Management Area', DNRE, Victoria.
- DNRE 2002, 'Biodiversity Conservation', in *Forest Management Plan for the Mid-Murray Forest Management Area*, Ch. 3, Department of Natural Resources and Environment, The State of Victoria, East Melbourne, Victoria, available at <<http://www.dse.vic.gov.au/dse/nrenfor.nsf/FID/08E43641FEC28FCCA256BB9001B91E5?OpenDocument>> [accessed 26th June 2004].
- Douglas, J., Gooley, G., Kemp, D. & Ingram, B. 1998, 'An ecological survey of three major Murray River anabranches in north-western Victoria with reference to ecosystem condition indices', Marine and Freshwater Resources Institute, Alexandra, December.
- Doyle, P., Malcolm, B., Ho, C. & Nessler, R. 2002, 'Future dairy farming systems in irrigation regions', Department of Natural Resources and Environment, Tatura.
- DSE 1999, 'Information Sheet on Ramsar Wetlands. Hattah-Kulkyne Lakes, Victoria', Department of Sustainability and Environment, The State of Victoria, East Melbourne, Victoria, available at <[http://www.dse.vic.gov.au/dse/nrenpr.nsf/9e58661e880ba9e44a256c640023eb2e/436d49f92ba20010ca256e68002e9825/\\$FILE/HKL_RIS.pdf](http://www.dse.vic.gov.au/dse/nrenpr.nsf/9e58661e880ba9e44a256c640023eb2e/436d49f92ba20010ca256e68002e9825/$FILE/HKL_RIS.pdf)> [accessed 13th July 2004].
- DSE 2002, 'Irrigation and Commercial Farm Dams Licence to Water. Your Dam, Your Responsibility, A guide to managing the safety of farm dams', DSE, p. 88.

- DSE 2003, 'Hattah-Kulkyne Lakes Ramsar Site: Strategic Management Plan', developed by Parks Victoria in conjunction with Department of Sustainability and Environment, The State of Victoria, East Melbourne, Victoria, available at <http://www.parkweb.vic.gov.au/resources/07_1002.pdf> [accessed 13th July 2004].
- DSNR 2003, 'A guide to the Water Sharing Plan for the Murray and Lower Darling Regulated Rivers Water Sources, 1 July 2003 to 30 June 2013', NSW Department of Sustainable Natural Resources, May, available at <<http://www.dlwc.nsw.gov.au/care/water/sharing/guides/murrayreg-guide.pdf>> [accessed 25 June 2004].
- Dudding & Evans 2001, 'Salt discharge mechanism into the Murray River floodplain at Lindsay Island', Paper 7B4, 8th Murray Darling Groundwater Workshop, 4–6 September 2001, Victor Harbour, South Australia.
- DWLBC n.d., 'Chowilla Integrated Natural Resource Management Project, Fact Sheet 24', Department for Water, Land and Biodiversity Conservation, South Australia, available at <http://www.dwlbc.sa.gov.au/publications/pdfs/fact_sheets/dwlbc/fs24_chowilla.pdf> [accessed 1 June 2004].
- DWLBC n.d., 2002, 'The Murray mouth, exploring the implications of closure or restricted flow', report prepared for the Murray-Darling Basin Commission, July 2002, available at <http://www.dwlbc.sa.gov.au/water/publications/pdfs/reports/murray_mouth_exploring_implications.pdf> [accessed 28 September 2003].
- DWLBC n.d., 2002a, 'Lock 5 Flow Enhancement Trial', *Murray-Darling Division Report No. 1, September*, Department for Water, Land and Biodiversity Conservation, South Australia, available at <http://www.dwr.sa.gov.au/water/publications/pdfs/reports/lock_5_flow_enhancement_trial.pdf> [accessed 28 February 2003].
- DWLBC n.d., 2002b, 'Murray Mouth Sand Pumping Project (brochure)', Department of Water, Land and Biodiversity Conservation, South Australia, available at <http://www.dwr.sa.gov.au/water/major_projects/pdf/murray_mouth_sand_pumping_project.pdf> [accessed 28 February 2003].
- EarthTech 2001, 'Investigation of opportunities for introducing improved flooding regimes and management for high value wetlands – for whole of River Murray System', Murray-Darling Basin Commission, Canberra, August.
- Eastburn, D. 1990, 'The River', in Mackay, N., and Eastburn, D., *The Murray*, Murray Darling Basin Commission, Canberra.
- Eckert, J. & Robinson, R.D. 1990, 'The Fishes of the Coorong', *The South Australian Naturalist*, vol. 65(1), pp. 5–30.
- Ecological Associates Pty Ltd 2004, 'Flooding Enhancement of Gunbower Forest, Investigation of Priority Options Part B', North Central Catchment Management Authority, Huntley, March.
- Ecos Consulting Pty Ltd 2002, 'River Murray Action Plan Yarrowonga to Echuca: Instream Ecology, Water Quality and Wetlands', in EarthTech et al. 2002, *River Murray – Yarrowonga–Echuca Action Plan, Specialist Review Attachments*, report

- to Goulburn Broken Catchment Management Authority, Department of Land and Water Conservation and Murray-Darling Basin Commission, April.
- Edmonds, V. 1994, 'An Archaeological Survey of Kings Billabong Wildlife Reserve', unpublished report to Aboriginal Affairs Victoria.
- Edmonds, V. 2003, 'Indigenous Cultural Heritage Assessment. Lindsay and Wallpolla Islands Water Management Investigation.' Report to Sinclair Knightz Mertz & the Mallee Catchment Authority by Archaeological Consulting Services.
- Edyvane, K., Carvalho, P., Evans, K., Fotheringham, D., Kinloch, M. & McGlennon, D. 1996, 'Biological Resource Assessment of the Murray Mouth Estuary', South Australian Research Development Institute.
- Egis 2001, 'Lindsay and Wallpolla Islands' Environmental Flows Issues Investigation: Issues Paper', Egis Consulting, August.
- Environment ACT, 2001, *Fish Action Newsletter*, Environment ACT, Australian Capital Territory.
- Environment Australia 2000, *A Directory of Important Wetlands in Australia*, 3rd edn, Canberra, ACT.
- EPA 1985, 'State Environment Protection Policy (Waters of Victoria)', Policy No. S122, Environmental Protection Authority, Melbourne.
- Erskine, W. 1996, 'Downstream hydrological impacts of Eildon reservoir on the mid-Goulburn River, Victoria', *Proceedings of the Royal Society of Victoria*, vol. 108, pp. 1–15.
- Erskine, W., Rutherford, I., Ladson, A. & Tilleard, J. 1993, 'Fluvial geomorphology of the Goulburn River Basin', report to the Mid Goulburn Catchment Co-ordinating Group, Ian Drummond and Associates, Wangaratta, Victoria.
- Fenton, D.M. 1996, 'An Assessment of Forest Values within the Tasmanian Community', report prepared for the Department of Premier and Cabinet (Hobart) and the Department of Primary Industries and Energy, Canberra.
- Fenton, D.M. 1997, 'An Assessment of Forest Values within the Central Highlands of Victoria', report prepared for the Department of Primary Industries and Energy, Canberra.
- Fergie, D 1994, 'To all the mothers that were, to all the mothers that are, and to all the mothers that will be: An anthropological assessment of the threat of injury and desecration to Aboriginal tradition by the proposed Hindmarsh Island Bridge construction', report to the Aboriginal Legal Rights Movement (SA), Adelaide.
- Forestry Commission of New South Wales 1985, 'Management plan for the Murray Management area – 1985', Forestry Commission of NSW.
- Ganf, G. 2000, 'Aquatic and riparian vegetation', in Jensen, A., Good, M., Harvey, P., Tucker, P. & Long, M., *River Murray Barrages Environmental Flows*, report to

- Murray-Darling Basin Commission, Canberra, ACT, Wetlands Management Program, Department of Environment and Natural Resources, Adelaide, South Australia, pp. 30–4.
- Ganf, G. 2002, 'Aquatic plant communities', in *The Murray mouth: exploring the implications of closure or restricted flow*, Murray-Darling Basin Commission and Department of Water, Land and Biodiversity Conservation, available at <http://www.dwlbc.sa.gov.au/water/publications/pdfs/reports/murray_mouth_exploring_implications.pdf> [accessed 28 September 2003], pp. 73–9.
- Geddes, M.C. 1984, 'Limnology of Lake Alexandrina, River Murray, South Australia, and the effects of nutrients and light on the phytoplankton community structure', *Australian Journal of Marine and Freshwater Research*, vol. 35, pp. 399–415.
- Geddes, M.C. 1987, 'Changes in salinity and in the distribution of macrophytes, macrobenthos and fish in the Coorong Lagoons, South Australia, following a period of River Murray flow', *Transactions of the Royal Society of South Australia*, vol. 111(4), pp 173–81.
- Geddes, M.C. 1988, 'The role of turbidity in the limnology of Lake Alexandrina, River Murray, South Australia: comparisons between clear and turbid phases', *Australian Journal of Marine and Freshwater Research*, vol. 39, pp. 201–9.
- Geddes, M.C. 2000, 'Fish and invertebrates', in Jensen, A., Good, M., Harvey, P., Tucker, P. & Long, M., *River Murray Barrages Environmental Flows*, report to Murray-Darling Basin Commission, Canberra, ACT, Wetlands Management Program, Department of Environment and Natural Resources, Adelaide, South Australia, pp. 43–50.
- Geddes, M.C. & Butler, A.J. 1984, 'Physicochemical and biological studies on the Coorong lagoons, South Australia, and the effect of salinity on the distribution of the macrobenthos', *Transactions of the Royal Society of South Australia*, vol. 108(1), pp. 51–62.
- Geddes, M.C. & Hall, D. 1990, 'The Murray Mouth and Coorong', in Mackay, N., & Eastburn, D., *The Murray*, Murray Darling Basin Commission, Canberra.
- Gehrke, P.C., Brown, P., Schiller, C.B., Moffatt, D.B., & Bruce, A.M. 1995, 'River regulation and fish communities in the Murray-Darling River System, Australia', *Regulated Rivers: Research and Management*, vol. 11, pp. 363–75.
- Gehrke, P.C., Revell, M.B. & Philbey, A.W. 1993, 'Effects of river redgum, *Eucalyptus camaldulensis*, litter on golden perch, *Macquaria ambigua*', *Journal of Fish Biology*, vol. 43, pp. 265–79.
- Gippel, C.J. 1999, 'Edward River: report on hydraulic effect of snags and management options', report by Fluvial Systems Pty Ltd, Melbourne, to Department of Land and Water Conservation, Albury, NSW.

- Gippel, C.J. 2001, 'Geomorphic Evaluation of Proposed Wodonga Railway Bypass: Final Report', report by Fluvial Systems Pty Ltd, Stockton/, NSW, to Gutteridge Haskins & Davey Pty Ltd, Melbourne, Victoria.
- Gippel, C.J. 2003, 'Review of achievements and outcomes of environmental flow initiatives undertaken on the extended River Murray System to August 2002', report by Fluvial Systems Pty Ltd, Stockton to The Living Murray initiative of the Murray-Darling Basin Commission, Canberra, ACT.
- Gippel, C.J. & Blackham, D. 2002, 'Review of environmental impacts of flow river regulation and other water resource developments in the River Murray and Lower Darling River system', report by Fluvial Systems Pty Ltd to Murray-Darling Basin Commission, Canberra, available at <http://www.mdbc.gov.au/TLM/pdf/Final_Review_reg_impacts_eflow.pdf> [accessed 28 February 2003].
- Gippel, C.J., Jacobs, T. & McLeod, T. 2002, 'Determining environmental flow needs and scenarios for the River Murray System, Australia', *Australian Journal of Water Resources*, vol. 5(1), pp. 61–74.
- Gippel, C.J. & Lucas, R. 2002, 'Review of Fluvial Geomorphology and Recent Environmental Changes', in EarthTech, 2002, *River Murray – Yarrawonga–Echuca Action Plan, Specialist Review Attachments*, report to Goulburn Broken Catchment Management Authority, Department of Land and Water Conservation and the Murray-Darling Basin Commission.
- Gippel, C.J., Vietz, G. & Doeg, T. 2000, 'Geomorphology of the Upper Murray and Swampy Plain Rivers', report prepared by Fluvial Systems Pty Ltd for Department of Land and Water Conservation, Albury, and Snowy Mountains Hydro-electric Authority, Cooma, NSW.
- Goulburn River Murray Water 2003, 'Business Operations Report 108'.
- Grayson, R.B., Argent, R.M., Nathan, R.J., McMahon T.A. & R.G. Mein 1997, 'Australian streamflow – global comparisons, Hydrological recipes, estimation techniques in Australian hydrology', Co-operative Research Centre for Catchment Hydrology, Melbourne.
- Green, D. 2001, 'The Edward River – Wakool System, River Regulation and Environmental Flows, Draft', Department of Land and Water Conservation NSW, Murray Region, Deniliquin, NSW.
- Green, D. & Alexander, P. 2003, 'River Murray Wetlands Database—NSW, Victoria: Wetland Commence to Flow Levels', NSW Murray Wetlands Working Group.
- Hall, C.M. 1991, *Introduction to Tourism in Australia: Impacts, Planning and Development*, Longman Cheshire, Melbourne.
- Hammer, M. P. and K. F. Walker (2004). *A catalogue of South Australian freshwater fishes including new records, range extensions and translocations*. *Transactions of the Royal Society of South Australia* 128: 85-97.

- Harper, M. 1997, 'Chowilla Floodplain resource management', in Banens, R.J. & Lehane, R. (eds), *Proc. 1995 Riverine Environment Research Forum*, Attwood, Victoria, Murray-Darling Basin Commission, Canberra.
- Harris, J.A. 1975, 'The influence of thinning upon defoliation by the Gum Leaf Skeletonizer in River Red Gum forests', *Forestry Technical Papers, No. 22*, Forests Commission, Victoria, pp. 15–8.
- Harris, J.A., Neumann, F.G. & Ward, B. 1977, 'An outbreak of the gum leaf skeletonizer, *Uraba lugens* Walker, in River Red Gum forest near Barmah', Unpublished Report, Forests Commission, Victoria, p. 16.
- Harris, J. H. 1995, 'Fish in the Barwon-Darling River', *Researching the Barwon-Darling*, Department of Land and Water Conservation, Co-operative Research Centre for Freshwater Ecology, Bourke.
- Harris, J. H. 2001, 'Fish passage in Australia: experiences, challenges and projections', in Keller, R.J. & Peterken, C. (eds), *Proceedings of the Third Australian Technical Workshop on Fishways*, Monash University, Maroochydore.
- Harris, J. H., Edwards, E. D. & Curran, S.J. 1992, 'Bourke weir fish passage study', Fisheries Research Institute Internal Report, p. 18.
- Harris, J. H. & Gehrke, P.C. 1994, 'Modelling the relationship between streamflow and population recruitment to manage freshwater fisheries', *Agricultural Systems and Information Technology*, vol. 6, pp. 28–30.
- Harris, J. H. & Gehrke, P.C. 1994, 'Development of predictive models linking fish population recruitment with streamflow', in Hancock, D.A. (ed.), *Population Dynamics for Fisheries Management, Proceedings of the Australian Society for Fish Biology Workshop*, Bureau of Rural Resources Proceedings, Canberra, pp. 195–9.
- Harris, J. H. & Gehrke, P.C. (eds) 1997, 'Fish and rivers in stress, The NSW Rivers Survey', NSW Fisheries Office of Conservation, Cooperative Research Centre for Freshwater Ecology, Cronulla, pp. 298.
- Harris, J. H. & Rowland, S. J. 1995, 'Family Percichthyidae: Australian freshwater cods and basses', in McDowall, R. M. (ed.), *Freshwater fishes of south-eastern Australia*, Reed books, Chatswood, NSW.
- Hassall & Associates & Gillespie Economics 2003, 'The Living Murray—Scoping of economic issues in the Living Murray, with an emphasis on the irrigation sector', draft, Murray Darling Basin Commission.
- Hassall & Associates & Gillespie Economics 2003, 'Tourism and recreation impacts scoping study', report to the Murray-Darling Basin Commission, Sydney.
- Hemming, S. 1993, 'Camp Coorong - Combining Race Relations and Cultural Education', *Social Alternatives*, vol. 12(1), pp. 37–40.
- Hemming, S. et al 1989, 'Ngurunderi: An Aboriginal Dreaming', South Australian Museum, Adelaide.

- Hemming, S., Trevorrow, T. & Rigney, M. 2002, 'Ngarrindjeri Culture and the Closure of the Murray mouth (Appendix A)', report prepared by Flinders University, Ngarrindjeri Heritage Committee, Ngarrindjeri Land and Progress Association and the Ngarrindjeri Native Title Management Committee.
- Hera-Singh, G. 2002, 'Fishing Industry', in *The Murray Mouth, Exploring the implications of closure or restricted flow*, Murray-Darling Basin Commission, Canberra, available at <http://www.dwlbc.sa.gov.au/water/publications/pdfs/reports/murray_mouth_exploring_implications.pdf> [accessed 28 September 2003], pp. 21–3.
- Higgins-Desbiolles, F. & Jones, G. 2002, 'Recreation and tourism', in *The Murray mouth: exploring the implications of closure or restricted flow*, Murray-Darling Basin Commission and Department of Water, Land and Biodiversity Conservation, available at <http://www.dwlbc.sa.gov.au/water/publications/pdfs/reports/murray_mouth_exploring_implications.pdf> [accessed 28 September 2003], pp. 25–31.
- Higham, J., Hammer, M. & Geddes, M. 2002, 'Implications of Murray Mouth closure on the macroinvertebrates and ichthyofauna of the Coorong', in *The Murray mouth: exploring the implications of closure or restricted flow*, Murray-Darling Basin Commission and Department of Water, Land and Biodiversity Conservation, available at <http://www.dwlbc.sa.gov.au/water/publications/pdfs/reports/murray_mouth_exploring_implications.pdf> [accessed 28 September 2003], pp. 73–9.
- Ho, C., Armstrong, D., & Doyle, P. 2003, 'Business Recovery - Moving forward after tough times'.
- Hollingsworth, I.D., Meissner, A.P. & Davies, G. 1990, 'A reconnaissance soil survey of the Chowilla Anabranch System of the River Murray in South Australia and New South Wales', South Australian Department of Agriculture, report to the Murray-Darling Basin Commission, Canberra, ACT.
- Horricks, G.F.B., Brown, G.W., Earl, C.E., Griffiths, R.C. & Williams, L.M. 1989, 'Flora and Fauna of Gunbower Island—Northern Victoria', *Ecological Survey Report No. 28*, Lands and Forests Division, Department of Conservation and Environment, Melbourne.
- Humphries, P. & Lake, P. S. 2000, 'Fish larvae and the management of regulated rivers', *Regulated Rivers: Research and Management*, vol. 16, pp. 421–32.
- Humphries, P.S., King, A.J. & Koehn, J.D. 1999, 'Fish, flows and flood plains: links between freshwater fishes and their environment in the Murray-Darling River system, Australia', *Environmental Biology of Fishes*, vol. 56, pp. 129–51.
- ID&A Pty Ltd 1993, 'River Murray and anabranches between Hume Dam and Lake Mulwala – investigation of river channel changes', Ian Drummond and Associates Pty Ltd, Report to Murray-Darling Basin Commission, Canberra, ACT.

- ID&A Pty Ltd 2001a, 'The Impact of a Weir at Wellington (with and without the existing Barrages) on Water Savings and on Water Levels in the lower lakes', Project R201, report to the Murray-Darling Basin Commission, Canberra, ACT, September.
- ID&A Pty Ltd 2001b, 'Lower Murray Environmental Scoping Study. Final Report.' Project R10017, report to Murray-Darling Basin Commission, Canberra, ACT, April.
- ID&A Pty Ltd 2001c, 'Investigation of opportunities for introducing improved flooding regimes and management for high value wetlands—for whole of River Murray system', Murray-Darling Basin Commission, Canberra, ACT.
- Ife, D. 1988, 'The hydrogeology of the Barmah Forest', *Investigations Report No. 1988/32*, Investigations Branch, Rural Water Commission of Victoria.
- International Union for Conservation of Nature and Natural Resources 2000, *2000 IUCN Red List of Threatened Species*, IUCN—The World Conservation Union, Species Survival Commission, Gland, Switzerland, IUCN Publications Services Unit, Cambridge, United Kingdom, available at <<http://www.iucn.org/themes/ssc/redlists/rlindex.htm>> [accessed 10 September 2004].
- Jacobs, T.A., White, L.J., Close, A.F., Banens, R.J., Lawrence, B. W., & Shafron, M.C. 1997, 'Downstream Environmental Considerations for the River Murray system', ANCOLD and IEAust conference on 'Dams and the Environment', Sydney.
- James, C. & Saunders, D. 2001, 'A framework for terrestrial biodiversity targets in the Murray-Darling Basin', CSIRO Sustainable Ecosystems, report to the Murray-Darling Basin Commission, Canberra, ACT, available at <<http://www.cazr.csiro.au/biodiversitytargets/targets.pdf>> [accessed 7 September 2003].
- Jensen, A. 1996, 'Identifying and redressing the ecological consequences of river regulation in the lower River Murray', in Rutherford, I. & Walker, M. (eds), *Proceedings of the First National Conference on Stream Management in Australia, Stream Management '96, Merrijig*, Cooperative Research Centre for Catchment Hydrology, Monash University, Clayton, Victoria, pp. 163–69.
- Jensen, A. 1998, 'Rehabilitation of the River Murray, Australia: identifying causes of degradation and options for bringing the environment into the management equation', in de Waal, L. C., Large, A.R.C. & Wade, P.M. (eds), *Rehabilitation of Rivers: Principles and Implementation*, Wiley, Chichester, pp. 215–36.
- Jensen, A., Good, M., Harvey, P., Tucker, P. & Long, M. 2000, 'River Murray Barrages Environmental Flows', report to Murray-Darling Basin Commission, Canberra, ACT, Wetlands Management Program, Department of Environment and Natural Resources, Adelaide, South Australia.
- Johnston, C.S., Nancarrow, B.E. & Kaercher, J.D. 2002, 'The Living Murray Environment Flows Project: A Review of Selected Community Engagement Meetings in South Australia', *Victoria and New South Wales August–September 2002*, report prepared by the Australian Research Centre for Water in Society, CSIRO.

- Jolly, I.D. 1986, 'Effects of river management on the hydrology and hydroecology of semi-arid/arid floodplains', in Anderson, M., Walling, D.E. & Bates, P. (eds), *Floodplain Processes*, Wiley, Chichester, pp. 577–609.
- Jolly, I.D., McEwan, K., Cox, J., Walker, G. & Holland, K. 2002, 'Managing Groundwater and Surface Water for Native Terrestrial Vegetation Health in Saline Areas', CSIRO Land and Water Technical Report 23/02, Canberra, ACT.
- Jolly, I.D. & Walker, G.R. 1995, 'A sketch of salt and water movement in the Chowilla floodplain', CSIRO Division of Water Resources.
- Jolly, I.D., Walker, G.R. & Thorburn, P.J. 1993, 'Salt accumulation in semi-arid floodplain soils with implications for forest health', *Journal of Hydrology*, vol. 150, pp. 589–614.
- Jolly, I.D., Walker, G.R. & Thorburn, P.J. 1994, 'Salt balances in semi-arid floodplain soils and consequences for riparian vegetation health', *Proceedings of Water Down Under 1994—International Groundwater and Hydrology Conference*, Adelaide, The Institution of Engineers, *Australia National Conference Publication No. 94/14*, pp. 687–90.
- Jolly, I.D., Williamson, D.R., Gilfedder, M., Walker, G.R., Morton, R., Robinson, G., Jones, H., Zhang, L., Dowling, T.I., Dyce, P., Nathan, R.J., Nandakumar, N., Clarke, R. & McNeill, V. 2001, 'Historical stream salinity trends and catchment salt balances in the Murray-Darling Basin, Australia', *Marine and Freshwater Research*, vol. 52, pp. 53–63.
- Jones, G. & Cartwright, S. 2002, 'Future visions for the River Murray: A Pictorial Companion to the Independent Report of the Expert Reference Panel on Environmental Flows and Water Quality Requirements for the River Murray System', Cooperative Research Centre for Freshwater Ecology.
- Jones, G., Hillman, T., Kingsford, R., McMahon, T., Walker, K., Arthington, A., Whittington, J. & Cartwright, S. 2002, 'Independent report of the Expert Reference Panel on environmental flows and water quality requirements for the River Murray System', Cooperative Research Centre for Freshwater Hydrology, Murray-Darling Basin Ministerial Council, Canberra, ACT, available at <<http://www.mdbc.gov.au/TLM/pdf/ERPReport.pdf>> [accessed 28 February 2003].
- Junk, W.J., Bayley, P.B. & Sparks, R.E. 1989, 'The flood pulse concept in river-floodplain systems', *Canadian Special Publication of Fisheries and Aquatic Sciences*, vol. 106, pp. 110–27.
- Kelton, J. 1996, 'Lindsay Island and Lake Wallawalla Aboriginal Cultural Heritage Plan of Management, Lindsay Island and Lake Wallawalla, Murray–Sunset National Park, North–Western Victoria, Parts 1 & 2', report to Aboriginal Affairs Victoria and Mildura Aboriginal Corporation.
- Kenderdine, S. 1993, 'Historic Shipping on the River Murray: a guide to the terrestrial and submerged archaeological sites in South Australia', Department of Environment and Land Management, Adelaide.

- Kenderdine, S. 1994, 'Historic Shipping on the River Murray: a guide to the terrestrial and submerged archaeological resources in New South Wales and Victoria', NSW Department of Planning, Sydney.
- Kenyon, C. 2001, 'Palaeological evidence for historical floodplain responses to river regulation: Barmah Forest, south-eastern Australia', in Rutherford, I., Sheldon, F., Brierley, G. & Kenyon, C. (eds), *Third Australian Stream Management Conference, Brisbane 27-29 August.*, CRC for Catchment Hydrology, Monash University, Clayton, pp. 355–60.
- Kenyon, C. & Rutherford, I. 1999, 'Preliminary Evidence for Pollen as an Indicator of Recent Floodplain Accumulation Rates and Vegetation Changes: The Barmah-Millewa Forest, SE Australia', *Environmental Management*, vol. 24, pp. 359–67.
- Kingsford, R.T. 1998, 'Management of Wetlands for Waterbirds', in Williams, W.D. (ed.), *Wetlands in a Dry Land: Understanding for Management*, Environment Australia, Canberra, pp. 111–21.
- Koehn, J.D. 1994, 'The cod story', in River Basin Management Society (ed.), *Proceedings of The Geomorphology and Biology of Streams*, Glenn College, Latrobe University.
- Koehn, J.D. 2003, 'Riverine aquatic protected areas: protecting species, communities or ecosystem processes?', Australian Society for Fish Biology, available at <http://www.asfb.org.au/research/mp/jk_aq_prot_areas.htm> [accessed 23 June 2003].
- Koehn, J.D., Doeg, T., Harrington, D. & Milledge, G. 1995, 'Dartmouth Dam: effects on the downstream aquatic fauna', Riverine Environment Research Forum, Department of Conservation and Natural Resources, Melbourne.
- Koehn, J.D., Nicol, S. & Fairbrother, P. 2000, 'Pattern and distribution of large woody debris in the River Murray (Yarrowonga-Tocumwal)', final report by Freshwater Ecology, Arthur Rylah Institute, Department of Natural resources and Environment, Heidelberg, to the Murray-Darling Basin Commission, Canberra.
- Koehn, J.D. & Morison, A.K. 1990, 'A review of the conservation status of native freshwater fish in Victoria', *Victorian Naturalist*, vol. 107, pp. 13–25.
- Konieczki, A.D., Graf, J.B. & Carpenter, M.C. 1997, 'Streamflow and sediment data collected to determine the effects of a controlled flood in March and April 1996 on the Colorado River between Lees Ferry and Diamond Creek, Arizona', *U.S. Geological Survey Open-File Report 97-224*, p. 55.
- Lake, J.S. 1967, 'Rearing experiments with five species of Australian freshwater fishes. Inducement to spawning', *Australian Journal of Marine and Freshwater Research*, vol. 18, pp. 155–73.
- Lake, J.S. 1971, 'Freshwater fish of the Murray-Darling River System: the native and introduced fish species', *New South Wales State Fisheries Research Bulletin Number Seven*, Chief Secretary's Department, Sydney.

- Lamontagne, S., Leaney, F. & Herczeg, A. 2002, 'Streamwater-groundwater interaction. The River Murray at Hattah-Kulkynne Park, Victoria; Summary of results.' *CSIRO Land and Water Technical Report 27/02*, Commonwealth Scientific and Industrial Organisation, Canberra, ACT, July, available at <<http://www.clw.csiro.au/publications/technical2002/tr27-02.pdf>> [accessed 13 July 2004].
- Land and Water Australia 2002, 'Biodiversity conservation across the wider landscape', in *Australian Terrestrial Biodiversity Assessment 2002*, Ch. 9, Australian Natural Resources Atlas V2.0, National Land & Water Resources Audit, Natural Heritage Trust, Commonwealth of Australia, available at <http://audit.ea.gov.au/ANRA/vegetation/docs/biodiversity/bio_assess_conservation.cfm> [accessed 7 September 2003].
- Lawson and Treloar Pty Ltd, S. Brizga and Associates Pty Ltd & Neil M Craigie Pty Ltd 2001, 'Geomorphic investigation of the influence of changed flows on the Mitta Mitta River, Volume 1', report to North East Catchment Management Authority.
- LCC 1989, 'Mallee Area Review: Final Recommendations', Land Conservation Council, Melbourne.
- Leitch, C. 1989, 'Towards a strategy for managing the flooding of Barmah Forest', Seminar on Barmah Forest organised by the State Working Group on River Murray Wetland and Forest Management, Department of Conservation Forests and Lands, Benalla Region, Victoria, Australia, p. 46.
- Leslie, D.J. 2001, 'Effect of river management on colonially-nesting waterbirds in the Barmah-Millewa Forest, south-eastern Australia', *Regulated Rivers: Research and Management*, vol. 17, pp 21–36.
- Leslie, D.J. & Ward, K.A. 2002, 'River Murray environmental flows 2000–2001', *Ecological Management & Restoration*, vol. 3(3), pp. 221–3.
- Linehan, C., Armstrong, D., Knee, J., Doyle, P., Johnson, F., Bowman, K. & Gyles, O. 2001, 'Changes in Water Use Efficiency on Irrigated Dairy Farms in Northern Victoria', Department of Natural Resources, Tatura.
- Llewellyn, L. C. 1968, 'Tagging gives answers to fish growth queries', *Fisherman*, vol. 3(1), pp. 1–5.
- Lloyd, L.N. 1990, 'Fish', in O'Malley, C. & Sheldon, F. (eds) 1990, *Chowilla Floodplain Biological Study*, Hyde Park Press for Nature Conservation Society of South Australia, Adelaide, pp. 181–193.
- Lloyd, L.N. & Boulton, A.J. 1990, 'Aquatic Macroinvertebrates', in O'Malley, C. & Sheldon, F. (eds) 1990, *Chowilla Floodplain Biological Study*, Hyde Park Press for Nature Conservation Society of South Australia, Adelaide, pp. 155–79.
- Lloyd, L.N. & Walker, K.F. 1986, 'Distribution and conservation status of small freshwater fish in the River Murray, South Australia', *Transactions of the Royal Society of SA*, vol. 110, pp. 49–57.

- Lloyd, L.N., Puckridge, J.T. & Walker, K.F. 1989, 'The significance of fish populations in the Murray-Darling system and their requirements for survival', in Dendy, T. & Coombe, M. (eds), *Proceedings of Third Fenner Conference on the Environment, Conservation in Management of the River Murray System – Making Conservation Count*, Canberra, September. South Australian Department of Environment and Planning, Adelaide for Australian Academy of Science, pp. 86–99.
- Loyn, R.H, Lumsden, L.F, Ward, K.A. 2002, 'Vertebrate fauna of the Barmah Forest, a large forest of River Red Gum *Eucalyptus camaldulensis* on the floodplain of the Murray River', *Victorian Naturalist*, vol. 119(3), pp. 114–32.
- Luebbers, R. 1995, 'An Archaeological Survey of Karadoc Swamp, Northwest Victoria', unpublished report to Mildura Aboriginal Corporation.
- Luebbers, R. 1998, 'A Heritage Assessment of Mount Lofty on the Yarrowonga River Park, Victoria', report to Parks Victoria, May.
- Lyons, K. 1989, 'Aboriginal Significance of the River Red Gum Forests in the Central Murray Region', unpublished report (Honours Thesis), Department of Forestry, Australian National University.
- Mackay, N.J. 1973, 'Histological changes in the ovaries of the golden perch, *Plectroplites ambiguus*, associated with the reproductive cycle', *Australian Journal of Marine and Freshwater Research*, vol. 24, pp. 95–101.
- Mackay, N.J., Hillman, T. & Rolls, J. 1988, 'Water quality of the River Murray: review of monitoring 1978 to 1986', *Water Quality Report No. 1*, Murray-Darling Basin Commission, Canberra, ACT.
- Maheshwari, B.L., Walker, K.F. & McMahon, T.A. 1993, 'The Impact of river regulation on the Hydrology of the River Murray and its Ecological Implications', Centre for Environmental Applied Hydrology, Department of Civil and Agricultural Engineering, The University of Melbourne and River Murray Laboratory, Department of Zoology, University of Adelaide.
- Maheshwari, B.L., Walker, K.F. & McMahon, T.A. 1995, 'Effects of flow regulation on the flow regime of the River Murray, Australia', *Regulated Rivers: Research and Management*, vol. 10, pp. 15–38.
- Mallen-Cooper, M. 1996, 'Fishways and freshwater fish migration in south-eastern Australia', PhD thesis, University of Technology, Sydney.
- Mallen-Cooper, M. & Brand, D. 1992, 'Assessment of two fishways on the River Murray and historical changes in fish movement', report to the Murray Darling Basin Commission, Fisheries Research Institute.
- Mallen-Cooper, M. & Edwards, E. 1991, 'Fish passage through the Main Weir at Menindee Lakes during the flood of September 1990', Fisheries Research Institute Internal Report, p. 17.

- Mallen-Cooper, M. & Stuart, I.G. 2003, 'Age, growth and non-flood recruitment of two potamodromous fishes in a large semi-arid/temperate river system', *River Research and Applications*.
- Margules and Partners, Smith, P., Smith, J. & Department of Conservation Forests and Lands Victoria 1990, 'Riparian Vegetation of the River Murray', Murray-Darling Basin Commission, Canberra, ACT.
- Maunsell Pty Ltd, Bewsher Consulting, BHP Engineering Land Technologies Division, Consulting Environmental Engineers, Dwyer Leslie & Ian Drummond and Associates 1992, 'Barmah-Millewa Forest Water Management Plan', prepared for the Murray-Darling Basin Commission, Canberra.
- Maunsell McIntyre Pty Ltd 1999, 'Draft Report on Barmah-Millewa Flood of October 1998 and the First Use of Barmah-Millewa Allocation', Murray-Darling Basin Commission, Canberra.
- McIntyre, S., Mclvor, J.G. & Macleod, N.D. 2000, 'Principles for sustainable grazing in eucalypt woodlands: landscape-scale indicators and the search for thresholds', in Hale, P., Petrie, A., Moloney, D. & Sattler, P. (eds), *Management for Sustainable Ecosystems*, Centre for Conservation Biology, Brisbane, pp. 92–100.
- McKay, J. 2001, 'Sustainability with Profitability: Rural Adjustment via Water Markets', final report summary to the LWRDDC.
- McKinnon, L.J. 1996, 'Integrated Silver Perch aquaculture trials in the Goulburn-Murray Irrigation district of Victoria', *Austasia Aquaculture*, vol. 10(1), pp. 45–7.
- McKinnon, L.J. 1997, 'Monitoring of fish aspects of the flooding of the Barmah Forest', *Final Report for the Natural Resources Management Strategy Project V014*, pp. 184.
- McKinnon, L.J. 1997, 'The effects of flooding on fish in the Barmah Forest', in Banens, R.J. & Lehane, R. (eds), *Proc. 1995 Riverine Environment Research Forum 4-6 Maunsell McIntyre Pty Ltd 1999, Draft Report on Barmah-Millewa Flood of October 1998 and the First Use of Barmah-Millewa Allocation*, Murray-Darling Basin Commission, Canberra.
- MDBC 1999, 'Murray-Darling Basin Commission Sustainability Plan', Murray-Darling Basin Commission, Canberra.
- MDBC 2002, 'Draft Native Fish Strategy for the Murray-Darling Basin, 2002–2010', draft discussion paper.
- MDBC 2002, 'Murray-Darling Basin Initiative', Murray-Darling Basin Commission, Canberra, ACT, available at <<http://www.mdbc.gov.au>> [accessed July 2002].
- MDBC 2003, 'Report to the Murray Darling Basin Commission: Indigenous response to the Living Murray Initiative'.

- MDBC 2003, 'Preliminary investigations into observed River redgum decline along the River Murray below Euston', *Technical Report 03/03*, report prepared for the River Murray Environmental Manager, Murray-Darling Basin Commission, Canberra, ACT.
- MDBC 2003a, 'The Living Murray Initiative Paper No.4, Native Fish in the River Murray: Status and Trend', Murray-Darling Basin Commission, Canberra, ACT.
- MDBC 2003b, 'The Living Murray Initiative, Proposal for Investment. An Implementation Program of Structural and Operational Works and Measures (2003/04 to 2005/06)', Murray-Darling Basin Commission, Canberra, ACT.
- MDBC 2003c, 'Salinity Update 2003', Murray-Darling Basin Commission, Canberra, ACT, available at <<http://www.mdbc.gov.au/naturalresources/salinity/pdf/salinityUpdate2003.pdf>> [accessed 14 July 2004].
- MDBC & DWLBC 2002, 'The Murray Mouth: exploring the implications of closure or restricted flow', available at <http://www.dwlbc.sa.gov.au/water/publications/pdfs/reports/murray_mouth_exploring_implications.pdf> [accessed 28 September 2003].
- MDBMC 1995, 'An Audit of Water Use in the Murray-Darling Basin', Murray-Darling Basin Ministerial Council, Canberra, p. 40.
- MDBMC 1998, 'Floodplain Wetlands Management Strategy for the Murray-Darling Basin', Murray-Darling Basin Ministerial Council, Canberra, November, p. 62.
- MDBMC 1999, 'The Salinity Audit of the Murray-Darling Basin. A 100-Year Perspective.' Murray-Darling Basin Ministerial Council, Canberra, ACT.
- MDBMC 2001, 'Murray-Darling Basin Ministerial Council Communiqué', Council Meeting, Sydney, 30 March 2001.
- MDBMC 2002, 'Murray-Darling Basin Ministerial Council Corowa Communiqué', Council Meeting 31, Corowa NSW, 12 April 2002.
- MDBMC 2003a, 'Murray-Darling Basin Ministerial Council Communiqué', 14 November 2003.
- MDBMC 2003b, 'The Living Murray Communiqué', the Murray-Darling Basin Ministerial Council, Toowoomba, 9 May 2003.
- MDCWG 1993, 'Mallee Dryland Draft Salinity Management Plan', Mallee Dryland Community Working Group, Ouyen, Victoria.
- MLDCRC 2003, 'Water Sharing Plan for the Murray and Lower Darling Regulated Rivers Water Sources 2003 Order, under the Water Management Act 2000', prepared for Minister for Land and Water Conservation by the Murray Lower-Darling Community Reference Committee, Government of New South Wales, available at <http://www.dlwc.nsw.gov.au/care/water/sharing/pdf/murrayreg_gazetted.pdf> [accessed 25 June 2004].

- Meredith, S., Gawne, B., Sharpe, C., Whietrod, N., Conallin, A., & Zukowski, S. 2002, 'Dryland floodplain ecosystems: influence of flow pattern on fish production', *Technical report 1/2002*, Murray-Darling Freshwater Research Centre, Mildura, Victoria.
- Merrick, J. S. 1995, 'Family Terapontidae: freshwater grunters and perches', in McDowall, R.M. (ed.), *Freshwater fishes of south-eastern Australia*, Reed Books, Chatswood, NSW.
- Mike Young and Associates 2001, 'An economic profile of the Goulburn-Broken catchment.'
- Morris, M. 2003, 'Implications of Water Policy Options for Irrigation regions', Department of Primary Industries, Tatura.
- Murphy, J. 1990, 'Watering the Millewa Forest', in Mackay, N. & Eastburn, D. (eds), *The Murray*, Ch. 15, Murray-Darling Basin Commission, Canberra, pp. 245–8.
- MWEC 1997, 'Sharing the Murray. Proposal for defining people's entitlements to Victoria's water from the Murray'. Murray Water Entitlement Committee, October.
- Nancarrow, B. & Syme, G. 2002, 'River Murray Stakeholder Profiling Study', report to the Murray-Darling Basin Commission, Canberra, ACT.
- Nanninga, P. 2001a, 'Farm Dam Review Report provided for Water Policy Committee Meeting 21, 20 August 2001', Murray-Darling Basin Commission, Canberra, ACT, p. 5.
- Nanninga, P. 2001b, 'Farm Dam Review Report provided for Water Policy Committee Meeting 22, 8 November 2001', Murray-Darling Basin Commission, Canberra, ACT, p. 11.
- NPWS 1998, 'Atlas of NSW Wildlife Database', NSW National Parks and Wildlife Service, Hurstville.
- Newman, R. n.d., 'Hydrology of the Lower Lakes and Coorong', in Jensen, A., Good, M., Harvey, P., Tucker, P. & Long, M., *River Murray Barrages Environmental Flows*, report to Murray-Darling Basin Commission, Canberra, ACT, Wetlands Management Program, Department of Environment and Natural Resources, Adelaide, South Australia, pp. 14–22.
- Ngarrindjeri Ramsar Working Group 1999, 'Ngarrindjeri perspectives on Ramsar Issues', in *Draft Coorong and Lakes Alexandrina and Albert Ramsar Management Plan, Appendix 8*, South Australian Department for Environment, Heritage and Aboriginal Affairs, Adelaide.
- Nielsen, D.L. & Chick, A.J. 1997, 'Flood-mediated changes in aquatic macrophyte community structure', *Marine and Freshwater Research*, vol. 48, pp. 153–7.
- Norris, R.H., Liston, P. Davies, N., Dyer, F., Linke, S., Prosser, I. & Young, W. 2001, 'Snapshot of the Murray-Darling Basin river condition', report by Cooperative Research Centre for Freshwater Ecology, University of Canberra and CSIRO Land

- and Water, Canberra, Murray-Darling Basin Commission, September, available at <<http://www.mdbc.gov.au/whatson/snapshot-exec.html>> [accessed 28 February 2001].
- Noyce, T. & Nicholson, K. 1993, 'Chowilla flood and groundwater analysis', Information Systems Branch, South Australian Department of Housing and Urban Development, Adelaide.
- O'Malley, C. & Sheldon, F. (eds) 1990, *Chowilla Floodplain Biological Study*, Hyde Park Press for Nature Conservation Society of South Australia, Adelaide, pp. 224.
- Ohlmeyer, R.G. 1991, 'Investigation of the feasibility of manipulating water levels in the River Murray', Final Project report to Component 3 of the Hydrological Management Project (No. S3), South Australian River Murray Wetlands Management Program, Engineering and Water Supply Department South Australia, Adelaide.
- O'Neill, T. & Strappazon, L. 2000, 'Dairy Technology Adoption and Productivity: an Empirical Analysis'.
- Overton, I.C. & Jolly, I.D. 2003, 'Investigation of Floodplain and Groundwater Interactions on Chowilla. Final Report.' South Australian Department of Water, Land and Biodiversity Conservation and CSIRO Land and Water.
- Pamminger, F. 1988, 'Development of a model to calculate the volume required to water the Barmah Forest', report to the Victorian State Working Group on River Murray Water and Forest Management, Barmah Forest Watering Study, Floodplain Management Unit, Rural Water Commission.
- Parks Victoria 2002, 'Barmah Forest Ramsar Site. Draft Strategic Management Plan.' Melbourne, Victoria.
- Parsons, J. n.d., 'Constraints and current operation strategies for the Barrages and Lower Lakes', in Jensen, A., Good, M., Harvey, P., Tucker, P. & Long, M., *River Murray Barrages Environmental Flows*, report to Murray-Darling Basin Commission, Canberra, ACT, Wetlands Management Program, Department of Environment and Natural Resources, Adelaide, South Australia, pp. 106–9.
- Paton, D. 2000, 'Bird ecology in the Coorong and Lakes region', in Jensen, A., Good, M., Harvey, P., Tucker, P. & Long, M., *River Murray Barrages Environmental Flows*, report to Murray-Darling Basin Commission, Canberra, ACT, Wetlands Management Program, Department of Environment and Natural Resources, Adelaide, South Australia, pp. 35–42.
- Paton, D. 2002, 'Migratory waders', in Murray-Darling Basin Commission and Department of Water, Land and Biodiversity Conservation, *The Murray mouth: exploring the implications of closure or restricted flow*, available at <http://www.dwlbc.sa.gov.au/water/publications/pdfs/reports/murray_mouth_exploring_implications.pdf> [accessed 28 September 2003], pp. 65–71.

- Patterson, D. & Treloar, D. 2001, 'Review of Report by Dr D J Walker entitled The Behaviour and Future of the River Murray mouth', August.
- Pinge, I. 2003, 'The socio-economic impact of reduced water allocations in the River Murray Darling Association MDA sub region.'
- Pitcher, T.J. & Parrish, J.K. 1993, 'Functions of shoaling behaviour in teleosts', in Pitcher, T.J. (ed.), *Behaviour of Teleost Fishes*, Chapman & Hall, London, p. 363–439.
- PPK 1998, 'Assessment of the Impact of the Bookpurnong / Lock 4 Irrigation District on Floodplain Health and Implications for Future Management.'
- Pressey, R.L. 1986, 'Wetlands of the River Murray below Lake Hume', *Environmental Report 86/1*, River Murray Commission, Canberra, p. 134.
- Pressey, R.L. 1990, 'Wetlands', in Mackay, N. & Eastburn, D. (eds), *The Murray*, Murray-Darling Basin Commission, Canberra, ACT, pp. 167–82.
- Price Waterhouse Coopers 2003, 'Lower Goulburn Floodplain Rehabilitation Scheme', Goulburn Broken Catchment Management Authority, Shepparton.
- Puckridge, J.T., Sheldon, F., Walker, K.F. & Boulton, A.J. 1998, 'Flow variability and the ecology of large rivers', *Marine and Freshwater Research*, vol. 49, pp. 55–72.
- Puckridge, J. T. & Walker, K.F. 1990, 'Reproductive biology and larval development of a gizzard shad, *Nematalosa erebi*, (Gunther), (Dorosomatinae: Teleostei), in the River Murray, South Australia', *Australian Journal of Marine and Freshwater Research*, vol. 41, pp. 695–712.
- Puckridge, J.T., Ward, K.A. & Walker, K.F. 1997, 'Hydrological determinants of fish and macroinvertebrate ecology in the Hattah Lakes system: Implications for time-share flooding. Part I: 1996–7 database', River Murray Laboratory, Department of Zoology, University of Adelaide and VIC DNRE, Shepparton.
- Quinn, G.P., Hillman, T.J. & Cook, R. 2000, 'The response of macroinvertebrates to inundation in floodplain wetlands: a possible effect of river regulation?', *Regulated Rivers: Research and Management*, vol. 16, pp. 469–77.
- Ramsar Convention Bureau 1997, *The Ramsar Convention Manual: a guide to the Convention on Wetlands (Ramsar, Iran, 1971)*, 2nd ed., Gland, Switzerland, available at <http://www.ramsar.org/lib_manual_1.htm> [accessed 10 September 2004].
- REG C 2003, 'REG C Report. Regional Evaluation Group Assessment of reference point flow scenarios for zone C of the River Murray System (Yarrowonga Weir to the Wakool Junction)', interim report, Scientific Reference Panel for The Living Murray Initiative, Regional Evaluation Group C, Murray-Darling Basin Commission, Canberra, ACT, available at <<http://www.thelivingmurray.mdbc.gov.au/content/index.phtml?itemId=16136>> [accessed 28 June 2004].

- Roberts, J. et al. 2003, 'REG E Report. Regional Evaluation Group Assessment of reference point flow scenarios for zone E of the River Murray System (Lock 11 to Lock 3)', Attachment 5 in SRP, Ecological assessment of environmental flow reference points for the River Murray System, interim report, Scientific Reference Panel for the Living Murray Initiative, Regional Evaluation Group E, Murray-Darling Basin Commission, Canberra, ACT, October, available at <<http://www.thelivingmurray.mdbc.gov.au/content/index.phtml?itemId=16136>> [accessed 28 June 2004].
- Roberts, J., Young, W.J. & Marston, F. 2000, 'Estimating the water requirements for plants of floodplain wetlands: a guide', *LWRRDC Occasional Paper 04/00*, CSIRO Land & Water, Land and Water Resources Research and Development Corporation, Canberra, ACT.
- Roberts, J. & Marston, F. 2000, 'Water regime of wetland and floodplain plants in the Murray-Darling Basin. A sourcebook of ecological knowledge.' *Technical Report 30-00*, CSIRO Land and Water, Canberra, October 2000.
- Roberts, J. & Ludwig, J.A. 1990, 'Aquatic macrophyte communities', in O'Malley, C. & Sheldon, F. (eds) 1990, *Chowilla Floodplain Biological Study*, Hyde Park Press for Nature Conservation Society of South Australia, Adelaide, pp. 137–54.
- Roberts, J. 1983, 'Migration patterns of five fish species in the Murray-Darling River system', *Australian Journal of Marine and Freshwater Research*, vol. 34, pp. 857–71.
- Rhodes, D. 1996, 'Survey of Gunbower Island', Aboriginal Affairs Victoria, Melbourne.
- RMCWMB 2004, 'Major Issues, Water Flow', the River Murray Catchment Water Management Board, Berri, South Australia, available at <http://www.rivermurray.sa.gov.au/major/water_flow.html> [accessed 14 July 2004].
- RMW 2000a, 'Report for the week ending Wednesday 25 October 2000. River Murray Water. Ref: MDBC:269:ng:bwh', available at <http://mdbc.rucc.net.au/mdbc/river_murray/weekly_report/October_25.pdf> [accessed 28 February 2003].
- RMW 2000b, 'Report for the week ending Wednesday 20 December 2000. River Murray Water. Ref: MDBC:269:ng:brc', available at <http://mdbc.rucc.net.au/mdbc/river_murray/weekly_report/December_20.pdf> [accessed 28 February 2003].
- RMW & SA Water 2000, 'Environmental flow benefits in South Australia', media release, River Murray Water and SA Water, 9 October 2000, available at <http://mdbc.rucc.net.au/mdbc/river_murray/weekly_report/October_4.pdf> [accessed 28 February 2003].
- RMW, DWRSA & SA Water 2000, 'Enhancement of flow in the River Murray in South Australia', media release, River Murray Water, Department of Water Resources SA and SA Water, 11 December 2000, available at <http://mdbc.rucc.net.au/mdbc/river_murray/weekly_report/December_13.pdf> [accessed 28 February 2003].

- Roberston, A.I., Bacon, P. & Heagney, G. 2001, 'The responses of floodplain primary production to flood frequency and timing', *Journal of Applied Ecology*, vol. 38, pp. 126–36.
- Robertson, M.A. 2003, 'Riverland Ramsar Wetland, threatened flora assessment', report to Murraylands Region, Department for Environment and Heritage, Berri.
- Rowland, S.J. 1983, 'Spawning of the Australian freshwater fish Murray cod, *Maccullochella peelii* (Mitchell), in earthen ponds', *Journal of Fish Biology*, vol. 23, pp. 525–34.
- Rutherford, I.D. 1990, 'Ancient River, Young Nation', in Mackay, N. & Eastburn, D. (eds), *The Murray*, Murray-Darling Basin Commission, Canberra, ACT, pp. 17–36.
- Rutherford, I.D. 1991, 'Channel form and stability in the River Murray: a large, low energy river system in southeastern Australia', unpublished doctoral thesis (2 volumes), Department of Geography and Environmental Science, Monash University.
- RWC 1992, 'Lindsay River salinity assessment progress report No. 3', *Investigations Branch technical Report 1992/21*, Rural Water Commission, Melbourne.
- Schiller, C. B. & Harris, J.H. 2001, 'Native and alien fish', in Young, W.J. (ed.), *Rivers as ecological systems: the Murray-Darling basin*, Chapter 6.2, Murray-Darling Basin Commission, Canberra, pp. 229–58.
- Schooneveldt-Reid, E., Copeland, C. & Neller, S. (eds) 2003, 'Fish Everywhere—An Oral History of Fish and Their Habitats in the Gwydir River', NSW Fisheries, Ballina, NSW.
- Scott, A. 1997, 'Relationships between waterbird ecology and river flows in the Murray-Darling Basin', *Technical report 5/97*, CSIRO, Canberra.
- Sharley, T. 1992, 'Strategies for revegetating degraded floodplains', in *Catchments of Green. Proceedings of a National Conference on Vegetation and Water Management*. Greening Australia Ltd, Adelaide.
- Sharley, T. & Huggan, C. (eds) 1995, 'Chowilla resource management plan: final report, March', prepared by the Chowilla Working Group in consultation with the Chowilla Reference Group, Murray-Darling Basin Commission, Canberra, ACT.
- Siebenritt, M.A., Ganf, G.G. & Walker, K.F. 2003, 'Effects of an enhanced flood on riparian plants of the River Murray, South Australia', in *River Research and Applications 19* (in press).
- SKM 2002, 'Gunbower Creek Capacity Study. Draft C—Final Report', report prepared for the North Central Catchment Management Authority.
- SKM 2003, 'Hattah Lakes Water Management Plan: Background Report for the Mallee Catchment Management Authority', Armadale, Victoria.

- SKM 2003a, 'Improving the flow regime of Lake Wallawalla', Final Project Report, Sinclair Knight Mertz, Armadale, Victoria.
- SKM 2003b, 'Report on Hydrology of Lindsay-Wallpolla', appended to SKM & Roberts, J., *Assessment of Water Options for Lindsay and Wallpolla Islands. Final Report.* Sinclair Knight Mertz, Armadale, Victoria, May.
- SKM 2004a, 'Preliminary assessment and investigation program. Groundwater impact of proposed regulator on Wallpolla Creek', Lindsay and Wallpolla Project, Mallee Catchment Management Authority, Sinclair Knightz Mertz, Armadale, Victoria, March.
- SKM 2004b, 'Determination of environmental flow requirements of Mullaroo Creek and Lindsay River', Mallee Catchment Management Authority, Sinclair Knightz Mertz, Armadale, Victoria, February.
- SKM 2004c, 'Mullaroo Creek & Lindsay River flow regulation options: Options assessment report', Sinclair Knightz Mertz, Armadale, Victoria, April.
- SKM 2004d, 'Feasibility of installing a regulator at Horseshoe Lagoon', Mallee Catchment Management Authority, Sinclair Knightz Mertz, Armadale, Victoria, April.
- SKM 2004e, 'Feasibility of installing a regulator at Websters Lagoon', Mallee Catchment Management Authority, Sinclair Knightz Mertz, Armadale, Victoria, April.
- SKM 2004f, 'Investigation of feasibility of structures on Wallpolla, Finnigans, Moorna and Dedmans Creeks', Mallee Catchment Management Authority, Sinclair Knightz Mertz, Armadale, Victoria, March.
- SKM & Roberts, J. 2003, 'Assessment of Water Options for Lindsay and Wallpolla Islands. Final Report.' Sinclair Knight Mertz, Armadale, Victoria, May.
- Slavich, P.G., Walker, G.R. & Jolly, I.D. 1999a, 'A flood history weighted index of average root-zone salinity for assessing flood impacts on health of vegetation on a saline floodplain', *Agricultural Water Management*, vol. 39, pp. 135–51.
- Slavich, Walker, G.R., Jolly, I.D., Hatton, T.J. & Dawes, W.R. 1999b, 'Dynamics of *Eucalyptus largiflorens* growth and water use in response to modified watertable and flooding regimes on a saline floodplain', *Agricultural Water Management*, vol. 39, pp. 245–64.
- Sluiter, I.R.K., Allen, G.G., Morgan, D.G. & Walker, I.S. 1997, 'Vegetation Responses to Stratified Kangaroo Grazing Pressure at Hattah-Kulkyne National Park, 1992-1996', *Flora and Fauna Technical Report No. 149*, Department of Natural Resources and Environment and Parks Victoria, Victoria.
- Sluiter & Parsons, S.E. 2000, 'Mallee Catchment Mandatory Environmental Monitoring Report', *Ogyris Ecological Research Report NO. 2000/12*.
- SMEC 2002, 'Review of structures and operation of flow regulating infrastructure of the River Murray System', final report by Snowy Mountains Engineering Corporation to Murray-Darling Basin Commission, Canberra, ACT.

- Smith, F. & Dominelli, S. 2005, A GIS-based framework for modelling conservation values in the Chowilla Floodplain region, Department of the Environment and Heritage, Canberra, ACT.
- Smith, P. & Smith, J. 1990, 'Floodplain vegetation', in Mackay, N. & Eastburn, D. (eds), *The Murray*, Murray-Darling Basin Commission, Canberra, ACT, pp. 215–28.
- Smith, R.B. 1983, 'Analysis of growth in red gum forest—Barmah 1983', *Barmah Forest Inventory Report No. 46*, Forests Commission Victoria, Melbourne.
- Souter, N.J. 1996, 'Time-Share Flooding of Aquatic Ecosystems—Strategy Assessment in the Hattah Lakes (Vic.) and Poon Boon Lakes (NSW) during 1994/95', Department of Natural Resources and Environment, Victoria.
- Souter, Puckridge, J.T. & Ward, K. 2000, 'Time-share flooding of aquatic ecosystems: synthesis report', AWT VIC, University of Adelaide and DNRE.
- South Australian Department for Environment, Heritage and Aboriginal Affairs 2000a, 'Coorong and Lakes Alexandrina and Albert Ramsar Management Plan', Adelaide.
- SRP 2003, 'Ecological assessment of environmental flow reference points for the River Murray System, interim report', Scientific Reference Panel for the Living Murray Initiative, Murray-Darling Basin Commission, Canberra, ACT.
- Stewart, G. & Harper, B. 2002, 'Barmah-Millewa forest environmental water allocation', *Water Science and Technology*, vol. 45(1), pp. 217–23.
- Stuart, I. & Jones, M. 2002, 'Ecology and Management of Common Carp in the Barmah-Millewa Forest', Freshwater Ecology – Arthur Rylah Institute, Melbourne.
- Suter, P.J., Goonan, P.M., Beer, J.A. & Thompson, T.B. 1993, 'A biological and physico-chemical monitoring study of wetlands from the River Murray floodplain in South Australia. Report No. 7/93.' Report to Murray-Darling Basin Commission by Australian Centre for Water Quality Research, Adelaide.
- Syme, G.J., Nancarrow, B.E. & McCreddin, J.A. 1999, 'Defining the components of fairness in the allocation of water to environmental and human uses', *Journal of Environmental Management*, vol. 57, pp. 51–70.
- Syme, Nancarrow, B.E. & McCreddin, J.A. 1999, 'Defining the components of fairness in the allocation of water to environmental and human uses', *Journal of Environmental Management*, vol. 57, pp. 51–70.
- Taylor, P.J. 1993, 'An assessment of the applicability of and existing GIS and aerial photography for predicting the health of Black Box (*Eucalyptus largiflorens* F. Muell) on the Chowilla Floodplain', honours thesis, Department of Environmental Science and Rangelands Management, University of Adelaide.
- Telfer, A. & Overton, I. 1999, 'The impact of irrigation on floodplain vegetation health adjacent to the River Murray', in Rutherford, I. & Bartley, R. (eds), *Proceedings of the Second Australian Stream Management Conference*, vol. 2, Adelaide, pp. 609–15.

- Thoms, M. C. 1995, 'The impact of catchment development on a semi-arid wetland complex: the Barmah Forest, Australia', in Petts, G. (ed.), *Man's Influence on Freshwater Ecosystems and Water Use*, Proceedings of a symposium held during the XXI Assembly of the International Union of Geodesy and Geophysics at Boulder, Colorado, July, IAHS Publication No. 230, pp. 121–30.
- Thoms, M. C., Suter, P., Roberts, J., Koehn, J., Jones, G., Hillman, T. & Close, A. 2000, 'Report of the River Murray Scientific Panel on Environmental Flows: River Murray—Dartmouth to Wellington and the Lower Darling River', River Murray Scientific Panel on Environmental Flows, Murray-Darling Basin Commission, Canberra.
- Thoms, M. C. & Walker, G.R. 1994, 'Variations in stream water uptake by *Eucalyptus camaldulensis* with differing access to stream water', *Oecologia*, vol. 100, pp. 293–301.
- Thoms, M. C. & Walker, K. F. 1989, 'Preliminary observations of the environmental impact of river regulation in the River Murray, South Australia', *South Australian Geographical Journal*, vol. 89, pp. 1–14.
- Thoms, M. C. & Walker, K.F. 1992a, 'Morphological changes along the River Murray, South Australia', in Carling, P.A. & Petts, G.E. (eds), *Lowland Floodplain Rivers: Geomorphological Perspectives*, Wiley.
- Thoms, M. C. & Walker, K.F. 1992b, 'Channel changes related to low-level weirs on the River Murray, South Australia', in Carling, P.A. & Petts, G.E. (eds), *Lowland Floodplain Rivers: Geomorphological Perspectives*, Wiley, pp. 235–49.
- Thoms, M. C. & Walker, K.F. 1991, 'Sediment transport in a regulated semi-arid river: the River Murray, Australia', in Robarts, R.D. & Bothwell, M.L. (eds), *Aquatic Ecosystems in Semi-Arid Regions: Implications for Resource Management NHRI Symposium Series 7*, Environment Canada, Saskatoon, pp. 239–50.
- Thoms, M. C. & Walker, K.F. 1992, 'Channel changes related to low-level weirs on the River Murray, South Australia', in Carling, P.A. & Petts, G.E. (eds), *Lowland Floodplain Rivers: Geomorphological Perspectives*, Wiley, pp. 235–49.
- Thoms, M. C. & Walker, K.F. 1993, 'Channel changes associated with two adjacent weirs on a regulated lowland alluvial river', *Regulated Rivers: Research and Management*, vol. 8, pp. 271–84.
- Thomson, C. 1992, 'The impact of river regulation on the natural flows of the Murray Darling Basin', *Technical Report No. 92/5.1*, Murray-Darling Basin Commission, Canberra, ACT, p. 11.
- Thorburn, P.J., Mensforth, L.J. & Walker, G.R. 1994, 'Reliance of creek-side river red gums on creek water', *Australian Journal of Marine and Freshwater Research*, vol. 45, pp. 1439–43.

- Thorburn, P.J., & Walker, G.R. 1994, 'Variations in stream water uptake by *Eucalyptus camaldulensis* with differing access to stream water', *Oecologia*, vol. 100, pp. 293–301.
- Thorncraft, G.A. & Harris, J.H. 1996, 'Assessment of Rock-ramp Fishways', report for Environmental Trusts, NSW Environment Protection Authority, Border Rivers Commission, Department of Land and Water Conservation and Wyong Shire Council, NSW Fisheries Research Institute and the Cooperative Research Centre for Freshwater Ecology.
- Treadwell, S. 2003, 'REG D Report. Regional Evaluation Group Assessment of reference point flow scenarios for zone D of the River Murray System (Wakool Junction to Lock 11)', Attachment 4 in SRP, Ecological assessment of environmental flow reference points for the River Murray System, interim report, Scientific Reference Panel for the Living Murray Initiative, Regional Evaluation Group D, Murray-Darling Basin Commission, Canberra, ACT, available at <<http://www.thelivingmurray.mdbc.gov.au/content/index.phtml?itemId=16136>> [accessed 28 June 2004].
- URS 2001, 'Flooding enhancement of Gunbower Forest: scoping study', report prepared for the North Central Catchment Management Authority, Bendigo.
- URS 2003, 'Final report: Lake Mokoan Study', Goulburn Broken Catchment Management Authority, Shepparton.
- Yorta Yorta Management Plan for the Claim Area. Plan. Research Project funded by the National Estate Grants Program, 1996-1999.
- Walker, D.J. 2002a, 'The behaviour and future of the River Murray mouth', Centre for Applied Modelling in Water Engineering, Department of Civil and Environmental Engineering, Adelaide University.
- Walker, D.J. 2002b, 'What is possible: hydrology & morphology', in Murray-Darling Basin Commission and Department of Water, Land and Biodiversity Conservation, *The Murray Mouth: exploring the implications of closure or restricted flow*, available at <http://www.dwr.sa.gov.au/water/publications/pdfs/reports/murray_mouth_exploring_implications.pdf> [accessed 28 February 2003].
- Walker, G.R., Jolly, I.D. & Jarwal, S.D. 1996, 'Salt and water movement in the Chowilla floodplain', *CSIRO Water Resources Series No. 15*, Canberra.
- Walker, G.R., 2001, 'A river transformed—effects of weirs on the lower River Murray', in Blanch, S.J. (ed.), *The Way Forward on Weirs*, Inland Rivers Network, Australian Conservation Foundation, Sydney, pp. 7–22.
- Walker, G.R., Sheldon, F. & Puckridge, J.T. 1995, 'A perspective on dryland river ecosystems', *Regulated Rivers: Research and Management*, vol. 11, pp. 85–104.
- Walker, K.F. 1985, 'A review of the ecological effects of river regulation in Australia', *Hydrobiologia*, vol. 125, pp. 111–29.

- Walker, G.R., & Thoms, M.C. 1993, 'Environmental effects of flow regulation on the lower River Murray, Australia', *Regulated Rivers: Research and Management*, vol. 8, pp. 103–19.
- Walker, G.R., Thoms, M.C. & Sheldon, F. 1992, 'Effects of weirs on the littoral environment of the River Murray, South Australia', in Carling, P.A., Boon, P.J., & Petts, G.E. (eds), *River Conservation and Management*, John Wiley and Sons Ltd, pp. 271–91.
- Walters, C.J. & Holling, C.S. 1990, 'Large scale management experiments and learning by doing', *Ecology*, vol. 71, pp. 2060–8.
- Ward, K.A. 1991, 'Investigation of the flood requirements of Moira grass plains in Barmah Forest, Victoria. Final report.' Department of Conservation and Environment, Sheparton, Victoria.
- Ward, K.A. 2001, 'Monitoring frogs in the Barmah–Millewa Forest 2000/2001. Final Report.' Report prepared for the Barmah–Millewa Forum.
- Ward, K.A. 2004, *personal communication*, Goulburn Broken Catchment Management Authority, Victoria, April.
- Water ECOscience Pty Ltd 1996, 'Water Quality Monitoring Annual Report: Victoria 1996—Volume 1', Natural Resources and Environment, Victoria.
- Water Policy Committee 2001b, 'Farm Dam Review', *Water Policy Committee Meeting Minutes 22, 8 November, 2001*, Murray Darling Basin Commission, Canberra, ACT, p. 13.
- Webster, R. 1993, 'Superb Parrot use of Gulpa Island and Millewa State Forests', in Wilson, A.D. (ed.), *River, Plain and Sandhill*, Proceedings of Southern Riverina Field Naturalists Club Inc. Deniliquin, NSW.
- Wetlands International 2002, 'A Directory of Wetlands of International Importance, Designated under the Convention on Wetlands (Ramsar, Iran, 1971)', Frazier, S. (ed), compiled by Wetlands International for the 8th Meeting of the Conference of Contracting Parties to the Convention on Wetlands, Valencia, Spain, November 2002, Wageningen, The Netherlands.
- Wetlands International 2004, 'Hattah-Kulkyne Lakes, A Directory of Wetlands of International Importance, Australia 5AU016', Wageningen, The Netherlands, available at <http://www.wetlands.org/RDB/Ramsar_Dir/Australia/AU016D02.htm> [accessed 13 July 2004].
- White, L.J. 2003, 'Advancements in the engineering and scientific basis of the design of fishways: with an emphasis on the Murray-Darling Basin, Australia', PhD thesis, Department of Civil Engineering, Monash University.
- White, L.J., Ladson, T. 2000, 'Technical review of environmental flow options for the River Murray', draft, Technical Subcommittee of the Task Group on River Murray Environmental Flows, February 2000.

- Williamson, D.R., Gates, G.W.B., Robinson, G., Linke, G.K., Seker, M.P. & Evans, W.R. 1997, 'Salt Trends. Historic trend in salt concentration and salt load of stream flow in the Murray-Darling Drainage Division', *Dryland Technical Report No. 1*, Murray-Darling Basin Commission, Canberra, ACT.
- Whittington, J., Cottingham, P., Gawne, B., Hillman, T., Thoms, M. & Walker, K. 2000, 'Ecological sustainability of rivers of the Murray-Darling Basin', in Murray-Darling Basin Ministerial Council, *Review of Operation of the Cap: Overview Report of the Murray-Darling Basin Commission*, Technical Report prepared by Cooperative Research Centre for Freshwater Ecology, Canberra, ACT.
- Whittington, J., Coysh, J., Davies, P., Dyer, F., Gawne, B., Lawrence, I., Liston, P., Norris, R., Robinson, W. & Thoms, M. 2001, *Development of a Framework for the Sustainable Rivers Commission*, Cooperative Research Centre for Freshwater Ecology, Canberra, ACT.
- Woodward-Clyde 1999, 'Impacts of Irrigation on Floodplain Health and Implications for Future Management Options', *Report A9600504*, prepared for the Renmark to Border Local Action Planning Association, Renmark.
- Woodward-Clyde 2000, 'Integrated Flow Management Strategy', *Report A9600505*, prepared for the Renmark to Border Local Action Planning Association, Renmark.
- Wyatt, S. 1992, 'Preliminary Water Management Strategy—Koondrook Forest Group', Draft 9, Forestry Commission of NSW, Deniliquin, October.
- Ye, Q., Jones, G. K. & Pierce, B. 2000, 'Murray cod (*Maccullochella peelii peelii*)', fishery assessment report to PIRSA for the Inland Waters Fishery Management Committee, *SA Fisheries Assessment Series 2000/17*, SARDI Aquatic Sciences, Henley Beach, South Australia, p. 47.
- Ye, Q., Higham, J. & Johnson, J. 2002, 'Murray Darling Fishway Assessment Program', report to the Murray-Darling Basin Commission, SARDI Aquatic Sciences, Henley Beach, South Australia, October.
- Young, M.D. & McColl, J.C. 2003, 'Robust reform: the case for a new water entitlement system for Australia', *The Australian Economic Review*, vol. 36(2), pp. 225–34.
- Young, W.J. (ed.) 2001, 'Rivers as Ecological Systems—the Murray-Darling Basin', Murray-Darling Basin Commission, Canberra, ACT.
- Zhang, L. & Dawes, W.R. (eds) 1998, 'WAVES: an integrated energy and water balance model', *CSIRO Land and Water Technical Report 31/98*, Canberra, ACT.